



Racohitrans Pneumatic Vacuum Cleaner

RACOHITRANS equipment is specially designed industrial/ contractors tool that converts your compressed air supply into a vacuum and material-transferring system

RACOHITRANS PNEUMATIC VACUUM CLEANER

RACOHITRANS system is a very useful tool for abrasive recovery during blasting process. It permits to blast and recover the residues at the same time, leaving impeccable working surface.


CHARACTERISTICS:

- Easy to use & low maintenance
- Discharge and suction powerful velocity
- Maximum residue recovered size: diameter 1/2"
- Suction any dry, liquid or mixed material which may float
- Different brushes sizes for any type of surface
- Different tubes sizes for working in any corners. Specially recommended in tanks operations
- Maximum air consumption at 7 bar: 3-4 m³/min. Depends on the suction material
- For light material, air consumption is approximately: 1,5 m³/min.
- Can be used as a Vacuum-blasting system only coupling the following accessories: suction workhead, set of brushes, suction hose, couplings and clamps.




RACOHITRANS SISTEMA DE RECUPERACIÓN A VACÍO
RACOHITRANS VACUUM RECOVERY SYSTEM


CONFIGURACIÓN 1/ CONFIGURATION 1:
 Abrasivo recogido en la tolva de 200 l. con opciones de filtro de polvo y silenciador.
 Abrasive recovery into 200 l. drum with optional dust filter and noise control.




CONFIGURACIÓN 2/ CONFIGURATION 2:
 Abrasivo recogido en la tolva montada sobre un contenedor o un transportador con opciones de filtro de polvo y silenciador.
 Abrasive recovery into dump hopper mounted above larger container or conveyor with optional dust and noise control.




CONFIGURACIÓN 3/ CONFIGURATION 3:
 Abrasivo recogido en la tolva de 200 l. utilizando su propio sistema de filtro de polvo y silenciador.
 Abrasive recovery into 200 l. drum or drum hopper using your dust collection system for dust and noise control.




CONFIGURACIÓN 4/ CONFIGURATION 4:
 Modo de transferencia directa, descargando abrasivo al contenedor grande.
 Direct transfer mode, discharging abrasive into larger container.



RACOHITRANS “DRUM TRANSFER RATE” (with dry sand)



RACOHITRANS “DIRECT TRANSFER RATE” (with dry sand)





Products & services

Blasting Equipments
Nozzles & nozzle holders
Hoses & couplings
Lighting systems
Wet blasting
Blasting without dust – Vacuumblast
Waterjetting system
Vacuum recovery equipments
Dust collectors
Dehumidifiers
Blasting cabinets
Internal pipe blasting equipments

Airless painting equipments
Paint hoses & couplings
Dual component systems
Internal pipe coating
Low pressure painting equipments
Personal protection
Measurement instruments

Contact:

Couto Maquinaria S.L.
P.I. Mora Garay
C/ Marie Curie 68
32211, Gijón
Principado de Asturias
España

Tel: (+34) 985308465/6
Fax: (+34) 985324630

info@coutomaquinaria.com
www.coutomaquinaria.com

